

PolyFlex™

Last revision date: June 14, 2014 MSDS No: S2C20140614A

1. Identification of the substance/mixture and of the company/undertaking

Product Name: PolyFlex™ 3D Printing Filament

CAS No.: See Section 3

Identified Uses: for fused deposition modeling (FDM) or fused filament fabrication (FFF) based

additive manufacturing and 3D printing processes

Manufacturer: JF Polymers (Suzhou) Co. Ltd.

Address: 11 Sihai Rd, Unit 2, Suite 502, Changshu, Jiangsu Province 215513, China

Tel/Fax: +86-512-52096516 / +86-512-52096512

Emergency telephone number: +86-512-52096516; or call LOCAL POISON CONTROL CENTER

2. Hazards identification

Emergency Overview

Not likely to be an irritant in the solid form. Burning produces obnoxious and toxic fumes. Not likely to form a dust in the solid filament form.

Potential Acute Health Effects

Inhalation: Not likely to form an inhalable dust in the solid filament form and for the intended use.

Thermal decomposition may result in release of toxic airborne contaminants. **Sensitization:** Not likely to result in a sensitizing effect under the intended use.

Potential Chronic Health Effects

Carcinogenic Effects: No known carcinogenic effects

Mutagenic Effects: No known mutagenic effects

Teratogenic Effects: No known teratogenic effects

Developmental Toxicity: No known developmental toxicity

3. Composition/information on ingredients

Chemical Name	CAS No.	Weight %	Exposure Limits
Thermoplastic polyurethane	Proprietary	> 90%	None

4. First aid measures

Inhalation: Move to fresh air. Call a physician immediately if irritation persists.

Skin contact: Rinse immediately with plenty of water. If skin irritation persists, call a physician.

Cool skin rapidly with cold water after contact with hot polymer.



PolyFlex^{TN}

Last revision date: June 14, 2014 MSDS No: S2C20140614A

Eye contact: Rinse immediately with plenty of water. Call a physician immediately.

Ingestion: Drink water as a precaution. Never give anything by mouth to an unconscious person.

Do not induce omitting without medical advice. Call a physician immediately.

Notes for the doctor: Treat symptomatically.

5. Fire-fighting measures

General Information: As in any fire, wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Suitable Extinguishing Agents: Dry chemical, carbon dioxide, water spray or regular foam. For large fires, use water spray, fog or regular foam.

Products of Combustion: Burning produces obnoxious and toxic fumes, carbon monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, isocyanate.

Special Fire Fighting Procedures: Firefighters should wear self-contained breathing apparatus and full fire-fighting turn-out gear (bunker gear). Keep personnel removed and upwind of fire. Water should be used to keep fire-exposed containers cool.

Special Remarks on Fire and Explosion Hazards: Toxic gases/vapors/fumes may emit in a fire.

6. Accidental release measures

General: Wear gloves when handling hot melt of the material.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Methods and material for containment and cleaning up: Shovel into suitable container for disposal.

7. Handling and storage

Precautions: No special precautions required.

Handling: Wear gloves when handling molten material. Low hazard for usual industrial or

commercial handling.

Storage: Store in cool place. Avoid excessive heat and direct sunlight. No special restrictions on

storage with other products.

8. Exposure controls/personal protection

Ventilation protection: Provide good ventilation during 3D printing processes. **Skin protection:** avoid direct contact to the hot melt of material or wear gloves.

Eye and face protection: Safety glasses if necessary.

General: Wear protective clothing to prevent contact with hot melt materials.

9. Physical and chemical properties



PolyFlexTM

Last revision date: June 14, 2014 MSDS No: S2C20140614A

Appearance: Filament, Solid

Color: Various
Odour: Odorless
pH: Not applicable

Melting point: Not determined Boiling point: Not applicable Density: 1.18 – 1.23 g/cm³ Vapor pressure: Not applicable

Partition coefficient (n -octanol/water): Not applicable

Solubility(ies): Not determined Flash point: Not determined

Auto-ignition temperature: Not determined

10. Stability and Reactivity

Stability: Stable under recommended storage conditions

Polymerization: Not applicable

Dangerous Decomposition Products: Burning produces obnoxious and toxic fumes, carbon

monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, isocyanate.

Conditions to avoid: No data available

Materials to avoid: Oxidizing agents. Strong bases.

11. Toxicological information

Routes of entry: N.A.

Acute toxicity: Data not available

12. Ecological information

Mobility: No data available

Bioaccumulation: Poorly biodegradable **Ecotoxicity effects**: Data not available.

13. Disposal considerations

Waste Disposal Methods: In accordance with local and national regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. Contact manufacturer if needed.

14. Transport information

No a DOT controlled material (United States)



PolyFlexTM

Last revision date: June 14, 2014 MSDS No: S2C20140614A

Proper Shipping Name: Not regulated

Hazzard Class: Not regulated

UN. NO.: Not regulated

Packing Group: Not regulated IMDG EMS: Not regulated

15. Regulatory information

European/International Regulations

This product is on the European Inventory of Existing Commercial Chemical Substances.

European Labeling in Accordance with EC Directives

Hazard Symbols: N/A Risk phrases: N/A Safety phrases: N/A

HMIS (U.S.A.): Health Hazard: 0 Fire Hazard: 1 Reactivity: 0

Personal Protection:

National Fire Protection Association(U.S.A.):

Health: 0

Flammability: 1
Reactivity: 0
Specific Hazard:

Federal and State Regulations:

TSCA 8(b) inventory: Listed

Canada-WHMIS:

Not controlled

For details regulations you should contact the appropriate agency in your country.

16. Other information

Revision information

Date of this revision: June 14 2014

Declare to reader



PolyFlexTM

Last revision date: June 14, 2014 MSDS No: S2C20140614A

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.